

[illegible]

Title: ELECTRICAL OUTLET BOX
Inventors: Archer, et al. - Hoffmann & Baron, LLP Docket: 577-526
Page 2 of 8

Page 2 of 8





FIG. 2

10083724.02502







FIG. 4

10083724.022502

1003724 025502

FIG 5



205200724.02502 1004724.02502






FIG 6

NOTES:

- 1.) ALL DIMENSIONS ARE INCHES AND (MILLIMETERS).
- 2.) TOLERANCE $\pm 1/64$ (.397) FOR FRACTIONAL DIMENSIONS UNLESS OTHERWISE SPECIFIED.



(2) HOLES TO SECURE
 #6-32 SCREWS




*SUGGESTED STANDARD FOR FUTURE DESIGN

SINGLE GANG FLUSH OR SURFACE MOUNTED NONMETALLIC DEVICE BOX
 (NO KNOCKOUT LOCATIONS SHOWN)

FIG. 7

NOTES:

- 1.) ALL DIMENSIONS ARE INCHES AND (MILLIMETERS).
- 2.) TOLERANCE $\pm 1/64$ (.397) FOR FRACTIONAL DIMENSIONS UNLESS OTHERWISE SPECIFIED.



\ast SUGGESTED STANDARD FOR FUTURE DESIGN

TWO GANG FLUSH MOUNTED NONMETALLIC DEVICE BOX

Fig. 8